

Table 4 Serotypes of *Salmonella spp.*, in meat samples

Species	S. N.	Sample ID	Poly O	Group OMA		OMB,C.D.E,F,D	Vi antigen	<i>Salmonella spp.</i>
				A	D			
Buff	1	10X-B1	+ve		D +ve	1,9,12	-ve	<i>S. enteritidis</i>
	2	25X-B2	+ve		D +ve	9,12[Vi]	+ve	<i>S. typhi</i>
	3	27X-B3	+ve		D +ve	9,12[Vi]	+ve	<i>S. typhi</i>
	4	28X-B4	+ve		D +ve	1,9,12[Vi]	+ve	<i>S. Dublin</i>
	5	47X-B5	+ve		D +ve	9,12	-ve	<i>S. pullorum</i>
	6	62X-B6	+ve		D +ve	1,9,12	-ve	<i>S. enteritidis</i>
	7	65X-B7	+ve		D +ve	9,12	-ve	<i>S. pullorum</i>
	8	69X-B8	+ve		D +ve	9,12[Vi]	+ve	<i>S. typhi</i>
Chevon	1	8XB-G1	+ve		+ve	9,12[Vi]	+ve	<i>S. typhi</i>
	2	10X-G2	+ve			+ve (E) 3,10	-ve	<i>S. anatum</i>
	3	16X-G3	+ve		+ve	1,9,12	-ve	<i>S. enteritidis</i>
	4	20XB-G4	+ve		+ve	1,9,12	-ve	<i>S. enteritidis</i>
	5	21XB-G4	+ve		+ve	9,12[Vi]	+ve	<i>S. typhi</i>
	6	40X-G5	+ve		+ve	9,12	-ve	<i>S. pullorum</i>
Pork	1	18X-P1	+ve		+ve	6,7	-ve	<i>S. choleraesuis</i>
	2	53-P2	+ve		+ve	6,7	-ve	<i>S. typhisuis</i>
	3	45B-P3	+ve	+ve		1,2,12	-ve	<i>S. paratyphi</i>
	4	80X-P4	+ve			+ve(B)	-ve	<i>S. derby</i>
Chicken	1	32B-C1	+ve		+ve	1,9,12	-ve	<i>S. enteritidis</i>
	2	39X-C2	+ve		+ve	9,12[Vi]	+ve	<i>S. typhi</i>
	3	42X-C3	+ve		+ve	1,9,12	-ve	<i>S. gallinarum</i>
	4	43X-C4	+ve		+ve	1,9,12	-ve	<i>S. enteritidis</i>
	5	45X-C5	+ve		+ve	9,12	-ve	<i>S. pullorum</i>
	6	48X-C6	+ve		+ve	9,12[Vi]	+ve	<i>S. typhi</i>
	7	53B-C7	+ve		+ve	9,12	-ve	<i>S. pullorum</i>
	8	70B-C8	+ve		+ve	9,12[Vi]	+ve	<i>S. typhi</i>